

# New-Vent Solutions Ltd

**VENTILATION & CHIMNEY SUPPLIES**

<b>DELIVERY</b> <b>FREE</b> 			<b>CHIMNEY PROBLEM?</b> <b>DO NOT PASS GO.</b> <b>PROCEED DIRECTLY TO TECH SUPPORT!</b>
	<b>Don't take a CHANCE</b> <b>deal direct</b>		
			 <b>King's Cross Station</b>
	<b>Call:</b> <b>01389 892301</b> <b>Fax: 01389 872023</b>		
<b>TECHNICAL SUPPORT</b> 	<b>Mayfair</b>		<b>GO</b> 

Description	CODE	100mm 4"	125mm 5"	150mm 6"	175mm 7"	200mm 8"	250mm 10"
-------------	------	-------------	-------------	-------------	-------------	-------------	--------------

Gas Flue Liner							
Liner ( per metre )	GF10	21.79	21.79	34.68	37.03	60.95	P.O.A
Clamp & Plate	GF20	12.63	12.63	12.63	40.38	40.38	P.O.A
GC1 Terminals	GF30	17.01	22.87	26.45	78.10	78.10	P.O.A

Solid Flue Liner							
DESCRIPTION	CODE	125MM	150MM	175MM	200MM	225MM	250MM
TWIN FLEX 316 ST/STEEL	<b>TF100</b>	43.06	56.02	66.67	75.50	87.92	115.84
<b>Standard Coil Length</b>		<b>40M</b>	<b>40M</b>	<b>36M</b>	<b>30M</b>	<b>30M</b>	<b>30M</b>
TWIN FLEX 904 ST/STEEL	<b>TF904</b>	121.03	141.54	168.53	188.02	P.O.A.	P.O.A.
<b>Standard Coil Length</b>		<b>40M</b>	<b>40M</b>	<b>30M</b>	<b>30M</b>	<b>30M</b>	<b>30M</b>

Components							
TOP PLATE	<b>11</b>	-	24.02	24.02	24.02	24.02	P.O.A.
TOP CLAMP	<b>02</b>	-	16.03	16.03	16.03	16.03	P.O.A.
FLUE ADAPTOR	<b>04</b>	-	44.68	44.68	55.81	59.51	P.O.A.
LINER JOINER	<b>06</b>	25.42	25.42	25.42	27.69	31.70	P.O.A.
		<b>4"- 5"</b>	<b>5"- 6"</b>	<b>6"- 7"</b>	<b>7"- 8"</b>	<b>8"- 9"</b>	<b>9"- 10"</b>
INCREASING ADAPTOR	<b>07</b>	58.27	61.97	64.11	68.16	81.77	98.11
M.A.D. COWL		31.80					
<b>FLUE GATHER</b>							
FLUE GATHER SQUARE	<b>FGS</b>		58.30	58.30	58.30	58.30	
FLUE GATHER RECTANGLE	<b>FGR</b>		58.30	58.30	58.30	58.30	
M.A.D. COWL POT HANGING			53.00	53.00			
<b>CHIMNEY POTS</b>							
		<b>SELDEK FLASHINGS</b>					
300 High	27.00	No.1 (50 to 170mm)		30.32			
450 High	33.00	No.2 (110 to 200mm)		42.22			
600 High	48.00	No.3 (160 to 300mm)		77.04			
900 High	87.00	No.4 (300 to 450mm)		129.55			

<b>ECO ICID</b>	<b>125MM</b>	<b>150MM</b>	<b>180MM</b>	<b>200MM</b>
Appliance Connector For Vit	54.92	57.40	n/a	n/a
Appliance Connector (OPEN BOTTOM)	36.68	50.37	47.29	50.02
Increaser Appliance Connector 125-150mm		75.46		
Increaser Appliance Connector 100-125mm	66.73			
Eco ICID to Flex Adaptor	56.39	57.62	63.19	69.54
Flex to ECO ICID Adaptor (Spring Type)		56.92		
Anchor Plate to Flex	110.67	110.67		
Rotor Cowl Adaptor	56.92	56.92	56.92	
1460mm Length	197.78	211.76		
960mm Length	127.69	143.25	179.87	196.22
1000mm Length (1 mm Inner)		179.02		
750mm Length	106.48	129.66		
460mm Length	89.64	96.77	98.13	114.46
293mm Length	57.92	64.16	81.90	88.31
160mm Length	53.37	59.05		
Adjustable Length 75-250mm (adjustable with rigid length)	87.22	99.68	117.73	124.27
Adjustable Length 215-310mm (2 piece)	133.24	136.84	151.69	158.55
Adjustable Length 350-570mm (2 piece)	147.62	151.24	163.93	169.77
Locking Band	6.07	7.24	9.06	
Extended Locking Band	20.75	23.45	25.16	27.42
Structural Locking Band for Bends		14.02		
15° Bend	103.73	119.28	132.47	142.27
30° Bend	103.73	119.28	132.47	142.27
45° Bend	103.73	119.28	132.47	142.27
90° Bend	143.25	165.07	175.24	209.59
90° Tee c/w Tee Cap	251.87	267.49	309.67	328.63
135° Tee c/w Tee Cap	249.14	280.29	316.02	341.29
Tee Cap c/w Drain	41.40	43.81		
Draught Stabiliser	111.47	132.75	151.38	179.03
Wall Support Side Plate ( 2pce)	69.12	74.96	85.33	91.63
Top Plate	106.38	109.74	152.51	179.93
Rain Cap With Mesh	80.94	85.03	114.03	133.66
Rain Cap	65.41	68.53	108.18	119.64
Anti-Splash / Downdraught Terminal Without Mesh	130.68	132.82	176.03	205.16
Tapered Terminal	100.07	110.61	139.02	142.21
<b>External Diameter</b>	<b>180mm</b>	<b>200mm</b>	<b>235mm</b>	<b>256mm</b>
Roof Support (Stainless Steel)	67.09	67.09	71.40	71.40
Guy Wire Bracket	22.90	26.84	26.84	27.50
Wall Band (60mm) (Stainless Steel)	23.41	27.41	29.53	33.34
Wall Band Extension 300mm Long	34.75	35.21	50.52	54.03
Angled Flashing* 5-45° c/w Storm Collar	76.36	83.81	92.70	94.33
Flat Flashing* c/w Storm Collar	70.86	79.82	88.29	89.85
Storm Collar	31.14	39.26	40.95	43.40
Vented Fire Stop Plate (1 Piece)	73.99	76.42	85.59	93.66
Vented Support Plate	87.00	90.08	140.86	147.79
Stainless Steel Trim Plate - Any Angle	37.10	37.10		
Magnetic Firestop Cover Plate (White)	37.01	47.52	n/a	n/a
Non Vented Round Fire Stop Plate (plain)	50.61	52.84	n/a	n/a
Non Vented Round Fire Stop Plate (black)	50.61	52.84	n/a	n/a
Non Vented Round Fire Stop Plate (white)	50.61	52.84	n/a	n/a

<b>HT Twin Wall</b>	<b>CODE</b>	<b>130MM</b>	<b>150MM</b>	<b>180MM</b>	<b>200MM</b>	<b>250MM</b>	<b>300MM</b>
<b>LENGTHS</b>							
1000MM LENG	<b>01</b>	POA	POA	POA	POA	POA	POA
1500MM LENG	<b>02</b>	POA	POA	POA	POA	POA	POA
500MM LENG	<b>03</b>	POA	POA	POA	POA	POA	POA
300MM LENG	<b>34</b>	POA	POA	POA	POA	POA	POA
320-520MM ADJ LENG	<b>04</b>	POA	POA	POA	POA	POA	POA
520-920MM ADJ LENG	<b>05</b>	POA	POA	POA	POA	POA	POA
<b>TEES &amp; ELBOWS</b>							
TEE X 90	<b>06</b>	POA	POA	POA	POA	POA	POA
TEE X45	<b>07</b>	POA	POA	POA	POA	POA	POA
TEE CAP	<b>08</b>	POA	POA	POA	POA	POA	POA
45 DEG ELBOW	<b>10</b>	POA	POA	POA	POA	POA	POA
30DEG ELBOW	<b>10</b>	POA	POA	POA	POA	POA	POA
15DEG ELBOW	<b>10</b>	POA	POA	POA	POA	POA	POA
MODULAR TEE (SPEC SIZE BR)	<b>11</b>	POA	POA	POA	POA	POA	POA
90 TEE (BOOTED)	<b>37</b>	POA	POA	POA	POA	POA	POA
<b>FLASHINGS &amp; TERMINALS</b>							
FLAT FLASHING (ALLY)	<b>12</b>	POA	POA	POA	POA	POA	POA
ADJ ROOF FLASHING(0-30DEG)(45deg)	<b>13</b>	POA	POA	POA	POA	POA	POA
STORM COLLAR (CRAVAT TYP)	<b>14</b>	POA	POA	POA	POA	POA	POA
STORM COLLAR (WASHER TYP)	<b>15</b>	POA	POA	POA	POA	POA	POA
STANDARD COWL	<b>16</b>	POA	POA	POA	POA	POA	POA
DOUBLE INVERTED COWL	<b>17</b>	POA	POA	POA	POA	POA	POA
SWEDISH / UNIV COWL GAS	<b>18</b>	POA	POA	POA	POA	POA	POA
TERM / ANCHOR PLATE	<b>19</b>	POA	POA	POA	POA	POA	POA
TOP STUB	<b>20</b>	POA	POA	POA	POA	POA	POA
<b>SUPPORT COMPONENTS</b>							
SPLIT CLIP BANDS	<b>21</b>	POA	POA	POA	POA	POA	POA
TELESCOPIC BASE (SHORT)	<b>22</b>	POA	POA	POA	POA	POA	POA
INT WALL SUPPORT ST/STEEL	<b>23</b>	POA	POA	POA	POA	POA	POA
SUPPORT PLATE ST/STEEL	<b>24</b>	POA	POA	POA	POA	POA	POA
GUY WIRE BRKT ST/STEEL	<b>25</b>	POA	POA	POA	POA	POA	POA
WALL BAND ST/STEEL	<b>26</b>	POA	POA	POA	POA	POA	POA
ADJ WALL BRKT (50-100MM S/S)	<b>27</b>	POA	POA	POA	POA	POA	POA
RAFTER SUPPORT BRKT	<b>36</b>	POA	POA	POA	POA	POA	POA
<b>SUNDRY COMPONENTS</b>							
TWIN TO SINGLE WALL	<b>28</b>	POA	POA	POA	POA	POA	POA
APPLIANCE CONNECTOR	<b>29</b>	POA	POA	POA	POA	POA	POA
HT TO HT+ ADAPTOR	<b>35</b>	POA	POA	POA	POA	POA	POA
FIRE STOP SPACER	<b>30</b>	POA	POA	POA	POA	POA	POA
GUY WIRE KIT	<b>31</b>	POA	POA	POA	POA	POA	POA
LOCKING BANDS	<b>33</b>	POA	POA	POA	POA	POA	POA
STRUCTURAL LOCKING BANDS	<b>33A</b>	POA	POA	POA	POA	POA	POA
DATA PLATE	<b>39</b>	POA	POA	POA	POA	POA	POA
<b>FOR CONDENSING BOILER</b>							
SILICONE O RING	<b>38</b>	POA	POA	POA	POA	POA	POA
92.5DEG TEE F/WELDED	<b>44</b>	POA	POA	POA	POA	POA	POA
45DEG TEE F/WELDED	<b>45</b>	POA	POA	POA	POA	POA	POA
92.5DEG ELBOW F/WELDED	<b>46</b>	POA	POA	POA	POA	POA	POA
SUPPORT PLATE (VENT)	<b>40</b>	POA	POA	POA	POA	POA	POA
RADIATION SHIELD	<b>41</b>	POA	POA	POA	POA	POA	POA
FIRE STOP & COLLAR S/ST (VENT)	<b>42</b>	POA	POA	POA	POA	POA	POA
TOP PLATE S/ST (VENT)	<b>43</b>	POA	POA	POA	POA	POA	POA

VITREOUS ENAMEL	CODE	100MM	125MM	150MM	175MM	200MM
-----------------	------	-------	-------	-------	-------	-------

LENGTHS						
VP 1000MM LENG	<b>O1</b>	51.70	54.39	59.52	71.42	77.29
VP 500MM LENG	<b>O2</b>	37.40	39.51	42.87	48.63	55.58
VP 250MM LENG	<b>O3</b>	24.58	27.16	29.54	34.75	38.67
VP 75MM LENG	<b>O4</b>	18.22	19.23	20.55	24.43	28.47
AVP 500MM LENG	<b>O5</b>	45.64	49.22	53.58	60.77	67.21
AVP 250MM LENG	<b>O6</b>	33.08	37.23	40.62	47.84	53.58
AVP 150MM LENG	<b>O7</b>	28.26	31.41	35.58	40.23	45.91

LENGTHS WITH COD						
VPD 1000MM LENG	<b>O8</b>	78.75	82.08	85.63	99.59	104.18
VPD 500MM LENG	<b>O9</b>	61.02	63.32	66.51	74.41	77.88
VPD 250MM LENG	<b>36</b>	54.49	57.09	59.41	64.65	68.57

TEES & ELBOWS						
VT 90 DEG TEE inc /Soot Box	<b>10</b>	59.47	61.67	63.49		
VT 45DEG TEE	<b>11</b>	65.59	67.89	69.85	84.93	109.20
SB(soot box)	<b>12</b>	35.86	37.42	39.79	44.79	54.71
VE 30DEG ELBOW	<b>13</b>	42.40	44.85	46.63	74.88	91.59
VE 45DEG ELBOW	<b>14</b>	42.40	44.85	46.63	74.88	91.59
VED 30DEG ELBOW	<b>15</b>	72.10	74.09	77.06	89.20	103.74
VED 45DEG ELBOW	<b>16</b>	72.10	74.09	77.06	89.20	103.74
VE 15 DEG ELBOW	<b>17</b>	41.45	43.54	45.27	72.67	
VED 15 DEG ELBOW	<b>18</b>	72.10	74.09	77.06	89.20	103.74
VED 90DEG ELBOW	<b>19</b>	53.50	56.26	58.06	91.85	101.89
VE 90 DEG ELBOW	<b>29</b>	88.94	91.36	94.66	113.56	122.35

SUNDRY COMPONENTS						
VI INCREASER	<b>20</b>	42.15	45.11	51.05	63.26	n/a
VB BRACKET	<b>21</b>	17.95	17.95	17.95	18.79	19.08
VC CLIP	<b>23</b>	12.01	12.01	12.30	12.56	12.87
VR ROSETTE	<b>24</b>	16.96	16.96	16.96	19.33	19.33
AGA 112DEG ELBOW	<b>26</b>	42.15				
AGA 112DEG ELBOW W/DOOR	<b>27</b>	68.51				

**Please state colour required when ordering**

<b>GAS VENT AIR GAP B-VENT</b>	<b>CODE</b>	<b>100MM</b>	<b>125MM</b>	<b>150MM</b>
<b>Starting Components</b>				
Appliance Connector ( Economy)	<b>1246</b>	13.28	13.91	15.54
Appliance Connector ( Socket )	<b>O145</b>			-
Vitreous Enamel Connector	<b>1243</b>	P/A	P/A	P/A
B Vevt to Flex Connector	<b>1279</b>		14.97	
Flex to B Vent Connector	<b>1278</b>	19.38	20.13	25.99
Increaser	<b>1271</b>	26.75	28.62	-
soil pipe spun connector	<b>O177</b>	P/A	P/A	n/a
Marley Soilpipe Connector	<b>O181</b>	P/A	P/A	n/a
B Vent to Block Adaptor	<b>O180</b>	P/A	P/A	n/a
IL TO B VENT	<b>O148</b>	P/A	P/A	P/A
B VENT TO IL	<b>O149</b>	P/A	P/A	-

<b>Pipes</b>				
1500mm	<b>1201</b>	46.15	56.70	63.67
900mm	<b>1202</b>	31.87	37.15	44.50
450mm	<b>1205</b>	17.87	20.08	25.99
300mm	<b>1206</b>	16.16	18.85	22.58
150mm	<b>1207</b>			
450mm adjustable	<b>1208</b>	27.75	33.78	39.16
300mm adjustable	<b>1209</b>	20.56	23.09	30.46

<b>Bends , Tees , Accessories</b>				
0 to 90 deg adjustable bend	<b>1218</b>	23.55	27.78	36.32
90 deg tee	<b>1220</b>	48.72	52.24	56.70
tee cap	<b>1224</b>	5.01	5.45	6.10
135 deg tee	<b>1221</b>	60.56	64.90	75.17

<b>B VENT TERMINALS</b>				
GC1 (Ali Fab.)	<b>O130</b>	27.62	30.42	40.66
R.T.A.	<b>O135</b>	28.17	30.78	-
R.T.A. EXT, BOX (200MM LONG)	<b>O136</b>		-	-
RIDGE TILE & R.T.A.	<b>O139</b>			-
CAST ALLY TILE TOP	<b>O142</b>	-		-
Anti Splash / Anti Downdraught	<b>O128</b>	-		

<b>Accessories</b>				
Storm Collar	<b>O156</b>	5.52	6.45	7.47
Support plate ( light )	<b>O160</b>	24.37	25.38	28.50
Support plate ( Heavy )	<b>1368</b>	34.12	44.07	46.08
Fire Stop Plate	<b>O166</b>	5.30	5.30	6.40
Roof Plate ( 2 part )	<b>O167</b>			
Roof support	<b>O364</b>	-		
Wall Band (50mm EXT )	<b>O173</b>	11.89	12.66	16.48
Angled Flashing Kit (5 - 30 deg)	<b>O151</b>	57.29	58.25	70.04
Tall cone Flashing kit	<b>O152</b>			
Rain Cap ( Ali Fab.)	<b>O133</b>			
Universal Terminal	<b>O196</b>			



# EXHAUSTO

AV = AXIAL VANE

## RS - CHIMNEY FANS

CODE	MOTOR	PRICE
RS009-4-1	AV	£724.00
<b>RS012-4-1</b>	AV	£856.00
RS014-4-1	AV	£1,073.00
<b>RS016-4-1</b>	AV	£1,429.00

CI = CENTRIFUGAL IMPELLER

## CONTROL SYSTEMS

<b>EBC20-EU-01</b>	£976.00
--------------------	---------

## RSV - CHIMNEY FANS

<b>RSV009-4-</b>	AV	£953.00
RSV012-4-	AV	£1,210.00
<b>RSV014-4-</b>	AV	£1,507.00
RSV016-4-	AV	£1,989.00
<b>RSV160-4-</b>	CI	£1,150.00
RSV200-4-	CI	£1,416.00
<b>RSV250-4-</b>	CI	£1,750.00
RSV315-4-	CI	£2,304.00
<b>RSV400-4-</b>	CI	£2,720.00
RSV400-4-	CI	£3,948.00
<b>RSV450-4-</b>	CI	£4,639.00

<b>EFC21-EU-01</b>	£348.00
--------------------	---------

EFC25-EU-01	
<b>EFC16-EU-01</b>	£119.00
EFC18-EU-01	£340.00

## RHG / RSVG / RSHG / - CHIMNEY FANS

<b>RHG160-4</b>	CI	£1,063.00
-----------------	----	-----------

RSHG012-	AV	£1,150.00
<b>RSHG014-</b>	AV	£1,347.00

RSVG200-	CI	£1,581.00
<b>RSVG250-</b>	CI	£1,910.00
RSVG315-	CI	£2,437.00

## RSG - CHIMNEY FANS

RSG125-4-	CI	£912.00
<b>RSG150-4-</b>	CI	£1,099.00
RSG200-4-	CI	£1,232.00

## ACCESSORIES

FLANGE FR1-125/200	£83.00
<b>FLANGE FR2-125/250</b>	£93.00
FLANGE FR3-150/350	£101.00
<b>FLANGE FR4-200/450</b>	£133.00

## PDS BOX

REP-AFB 2-POLE	£101.00
<b>REPSW 2) 4-POLE</b>	£101.00
RSD DILUTION	£37.00
<b>SMG 1/4"</b>	£111.00
SMG 1/2"	£202.00